35 YEARS
1991 - 2026

AURA



CATALOGUE 2026



Dear Customers, valued partners,

2026 is a special year for Aura: We are celebrating our 35th anniversary – a milestone we could not have reached without your trust and long-standing support. As a thank you, we are planning several highlights this year, including a grand anniversary celebration in the fall with a raffle for a pool enclosure.

The new catalog showcases how we are continuously developing our product range and network – from innovative solutions in pool enclosure technology to improvements in organization, processes, and service.

Our commitment remains unchanged: high-quality products, reliable partnerships, and sustainable concepts for the future. Thank you very much for your loyalty, and I hope you enjoy exploring the Aura 2026 catalog.

Sincerely,



Thomas Prušnik, Aura Managing Director

35 YEARS
1991 - 2026

EVOLUTION
THE UNIQUE

Crystal-clear design that underlines your desire for something special.

6





12

SOFTLINE
THE GENTLE

Design reduced to the essentials. A roof that discreetly remains in the background



24

STRONGLINE
THE STRONG

For particularly wide pools and locations with special requirements for the enclosure.



34

FLOOR
THE WALKABLE

Super flat, walkable and tiled like the patio floor. This gives you even more space in the garden.

CONTENTS

enjoy open space

www.aura.co.at



BE INSPIRED BY
FILM PORTRAITS OF REAL
PRIVATE POOL FACILITIES WITH
AURA COVERS AND
ENCLOSURES.

EVOLUTION 6-11
E2G 6

SOFTLINE 12-23
S1 PLUS 12
S1 16
S2 17
S3 18
S4 19
S5 20
S6 21

STRONGLINE 24-33
ST4G 24
ST4 28
ST2 29
ST5 30

FLOOR F1 34-37
FLOATING STAIRWAY WITH HANDRAIL 38
AURA RECOMMENDS ENJO 38
SWING-E 39

We deliver your pool enclosure in record time
– and on your preferred date!
Learn more about our smart app on page 47.

FEATURES MATERIALS AND ACCESSORIES 40
MODEL COMPARISON 42
SUSTAINABLE MANAGEMENT 44
CUSTOM-MADE 45
AURA SYSTEM PARTNER 46
VISIT AURA 48
HISTORY 50

AURA



AURA EVOLUTION THE UNIQUE




FLAT COVER WITH **REAL GLASS**

The unique all-glass design of the E2G makes it our designer piece. The E2G is a pure pool cover, but like pool enclosures, it offers the advantage of an insulating air cushion between the water surface and the glazing. This also significantly reduces dirt ingress. Its construction is particularly ingenious, featuring a concealed frame profile and glazing that extends over the frame. Due to its extremely low profile, the E2G cannot be swum under, but this also makes it exceptionally easy to open and close. An electric opening mechanism is also available with the optional Swing-E!

E2G

WIDTH	2,600 to 5,100 m (inner measure)	
LENGTH	up to 11,38 m	
HEIGHT	0,17 m	smallest sliding part
GLASS	ESG (3 mm)	single pane safety glass
SNOWLOAD	SK3 to SK5	75 to 125 kg/m²
WINDLOAD	WK6	136 km/h
LINEAR GUIDES	single sided track profile	





to the video







1. **CONCEALED FRAME PROFILE** for smooth surfaces prevent dirt accumulation.
2. **ORIGINAL AURA SEALING LIP** with otating mechanism and DDF fresh air regulator in both end walls, enables scratch-free movement and ventilation.
3. **EASY MOVEMENT** thanks to smooth-running tandem wheels with a 100 mm diameter.
4. **NARROW RUNNING SURFACE** due to particularly narrow side walls with brush seals.









⑤ **SWING SWIVEL SLIDING HANDLE** - no bending required when moving! Optional SWING-E.

⑥ **STORMPROOF AND CHILDSAFE** thanks to ground locking of all sliding sections (only when locked!). The canopy is not walkable or swimmable.


⑦ **EASY CLEANING** thanks to detachable telescopic connections.

⑧ **PRECISION TRACKING PROFILE** on one side for absolute tracking accuracy.

⑨ **DIMENSIONALLY STABLE SINGLE-PANE SAFETY GLASS** (ESG) with black enamel strip.

⑩ **SWING-E** intuitive electric sliding assistance.

⑪ **MIRROR-POLISHED END CAPS.**







S1 PLUS **S**1 **S**2 **S**3 **S**4 **S**5 **S**6


AURA SOFTLINE THE GENTLE



LESS IS **MORE**

Your pool water stays clean and pleasantly warm with the S1plus. Our most popular model impresses with its wide variety of options and low profile. The original Aura track profile ensures the flat cover stays perfectly aligned and is particularly space-saving, as it only needs to be installed on one side. This leaves one side completely unobstructed. With a width of only 50 mm and a height of 12 mm, the track profile is the ideal solution for pools at terrace level that are equipped with high-quality paving.

S1 PLUS

WIDTH	2,600 to 4,600 m (inner measure)	
LENGTH	up to 11,72 m	
HEIGHT	0,40 to 0,57 m	
GLASS	PC-UV (5 mm)	polycarbonate
SNOWLOAD	SK2 to SK4	50 to 115 kg/m²
WINDLOAD	WK6	136 km/h
LINEAR GUIDES	single sided track profile	





to the video

CORNERS **WITHOUT EDGES** S1

Thanks to its vertical design, the S1 is ideally suited for pools with raised edges. Visually, the S1 impresses with edges without corner profiles, which not only ensures a minimalist look but also makes cleaning the enclosure easier.

to the video



WIDTH	2,600 to 5,100 m (inner measure)	
LENGTH	up to 12,72 m	
HEIGHT	0,53 to 0,71 m	
GLASS	PC-UV (5 mm)	polycarbonate
SNOWLOAD	SK1 bis SK6	25 to 150 kg/m²
WINDLOAD	WK6	136 km/h
LINEAR GUIDES	guide rail on both sides	



to the video

The gently curved shape blends harmoniously into any garden landscape. The underswimmable enclosure integrates discreetly into its surroundings and allows swimming even when closed. Another visual feature of the S2 is the minimal number of reinforcing profiles, which allows an unobstructed view to the outside even when closed.



WIDTH	2,600 to 5,100 m (inner measure)	
LENGTH	up to 12,72 m	
HEIGHT	0,69 to 0,84 m	
GLASS	PC UV (4 mm)	polycarbonate
SNOWLOAD	SK3 to SK7	75 to 200 kg/m²
WINDLOAD	WK6	136 km/h
LINEAR GUIDES	guide rail on both sides	

THE **CLASSIC** S3

The classic arched pool enclosure. High utility value, plenty of space, and countless variations in size and features. Thoughtfully designed down to the last detail. The high arched elements create a spacious feel, and thanks to their shape, the S3 is particularly stable under wind and snow loads.

to the video



WIDTH	3,100 to 5,600 m (inner measure)	
LENGTH	up to 12,72 m	
HEIGHT	1,04 to 1,72 m	
GLASS	PC UV (4 mm)	polycarbonate
SNOWLOAD	SK7	200 kg/m²
WINDLOAD	WK5 to WK6	117 to 136 km/h
LINEAR GUIDES	guide rail on both sides	



WITH ANTEROOM S4

to the video

Even more space where it matters most. The integrated anteroom, which reaches a height of 2.10 meters and extends beyond the actual pool, offers a changing room protected from wind and weather, as well as plenty of space to relax.



WIDTH	2,600 to 5,600 m (inner measure)	
LENGHT	bis 12,72 m	
HEIGHT	0,9 bis 1,49 m	height anteroom 2,10 m
GLASS	PC UV (4 mm)	polycarbonate
SNOWLOAD	SK7	200 kg/m²
WINDLOAD	WK3 bis WK6	61 to 136 km/h
LINEAR GUIDES	guide rail on both sides	

PLENTY OF **PLACE** UNDER ONE ROOF

S5

Transform your pool area into a spacious indoor swimming pool. The high and flexible interior allows you to use the pool in any weather, with ample covered sunbathing area outside the pool.



WIDTH	4,100 to 6,100 m (inner measure)	
LENGTH	up to 12,72 m	
HEIGHT	2,16 to 2,33 m	
GLASS	PC UV (4 mm)	polycarbonate
	roof: PC UV (6 mm)	polycarbonate multiwall sheet
SNOWLOAD	SK2 to SK6	50 to 150 kg/m²
WINDLOAD	WK4 to WK5	88 to 116 km/h
LINEAR GUIDES	guide rail on both sides	



FUNCTIONAL EXTRAVAGANCE S6


to the video

The S6 model adapts perfectly to your available space. The interior is spacious, with a raised area along the length of the pool. This leaves plenty of room for a comfortable walking and lounging area, allowing you to enjoy the pool even on cooler days.



WIDTH	4,100 to 5,100 m (inner measure)	
LENGTH	to 12,72 m	
HEIGHT	1,93 to 2,36 m	
GLASS	PC UV (4 mm)	polycarbonate
SNOWLOAD	SK2 to SK5	50 to 125 kg/m²
WINDLOAD	WK4 to WK5	116 km/h
LINEAR GUIDES	guide rail on both sides	







① **SOFT-CLOSE MECHANISM** lockable.

② **CONCEALED FASTENERS** made of rust- and acid-resistant V4A stainless steel.

③ **SWING SWIVEL HANDLE** is included with the S1 and S1plus models bei der S1

④ **CLOSED FRAME PROFILE** for maximum stability.




⑤ **PRECISION TRACKING PROFILE** on one side for absolute directional stability. Modell S1 plus.

⑥ **TANDEM-WHEELS** with abrasion-resistant plastic tread for smooth, quiet movement.









⑦ **ORIGINAL AURA SEALING LIP** with rotating mechanism and DDF fresh air regulator in both end panels, enabling scratch-free sliding and ventilation.

⑧ **ORIGINAL AURA TRACK** with a height of only 10 mm and a total width of 196 mm (4 sliding panels). The S1plus and S1 models (depending on height) are also available with a single-sided track.

⑨ **UV RESISTANT POLYCARBONATE** with a limited 15-year manufacturer's warranty.

⑩ **PRE-ASSEMBLED SLIDING PANELS**, for precise and accurate final assembly.

⑪ **ALUMINUM ROLLERS** with stainless steel ball bearings. Plus permanent wind protection when equipped with the original Aura track.







ST4G **ST**4 **ST**2 **ST**5


AURA STRONGLINE THE STRONG





FLAT POOL ENCLOSURE WITH REAL GLASS

Strength and elegance unite here with real glass. Thanks to the particularly robust frame profiles, this canopy is equipped with laminated safety glass. The canopy is designed to allow swimming underneath when closed, as standard. The experience becomes even more airy with optional additional heights.

to the video

ST4G

WIDTH	2,600 to 4,100 m (inner measure)	
LENGTH	up to 11,23 m	
HEIGHT	0,49 to 0,67 m	
GLASS	VSG (5,4 mm)	laminated safety glass
SNOWLOAD	SK3 to SK7	75 to 200 kg/m²
WINDLOAD	WK6	136 km/h
LINEAR GUIDES	single sided track profile	





TRACK STABILITY
WITH PROFILE
ST4

With these extra-strong profiles, even large pools can be covered.
Spans up to 7 meters and pool lengths up to 14.99 meters are possible.

to the video



WIDTH	2,600 to 5,600 m (inner measure)	
LENGTH	up to 14,99 m	
HEIGHT	0,44 to 0,86 m	
GLASS	PC UV (5 mm)	polycarbonate
SNOWLOAD	SK2 to SK7	50 to 200 kg/m²
WINDLOAD	WK6	136 km/h
LINEAR GUIDES	single sided track profile	

GREAT FREEDOM ST2

Even on cold days, the ST2 is your perfect wellness oasis, offering plenty of space with a maximum wingspan of ten meters. On sunny days, despite its size, it can be easily moved aside. The ST2 gives you the freedom to plan without limitations.



WIDTH	4,600 bis 8,600 m (Innenmaß)	
LENGTH	up to 14,99 m	
HEIGHT	2,50 to 2,93 m	
GLASS	PC UV (5 mm)	polycarbonate
	roof: PC (8 mm)	polycarbonate multiwall sheet
SNOWLOAD	SK1 to SK3	25 to 75 kg/m²
WINDLOAD	WK4	88 km/h
LINEAR GUIDES	guide rail on both sides	



HIGH POOL ENCLOSURE WITH STYLE

The spacious pool enclosure impresses with its modern and clean design. The straightforward construction combines stability with contemporary design and creates a spacious oasis of well-being in your garden..

ST5

WIDTH	4,100 to 5,600 m (inner measure)	
LENGTH	up to 14,99 m	
HEIGHT	2,24 to 2,66 m	
GLASS	PC UV (4 and 5 mm)	polycarbonate
SNOWLOAD	SK2 to SK4	50 to 100 kg/m²
WINDLOAD	WK4	88 km/h
LINEAR GUIDES	guide rail on both sides	







1. **PRECISION TRACKING PROFILE** one side for directional stability.
2. **CONCEALED CONNECTING ELEMENTS** made of rust- and acid-resistant V4A stainless steel.
3. **SLIDING SUPPORT SWING-E** optional.
4. **VISUALLY SUPERIOR CORNER JOINT** with high strength.
5. **LAMINATED GLASS** (VSG) or plastic panes made of UV-resistant PC (polycarbonate) with limited 15-year-manufacturers-warranty.



















⑥ **„FLOATING“ INSTALLATION** of the glazing between rubber seals allows for temperature-related expansion.

⑦ **CLOSED FRAME PROFILE** with glazing beads for quick pane replacement..

⑧ **TANDEM-FLOOR ROLLERS** with abrasion-resistant plastic treads for smooth, quiet movement.

⑨ **DOUBLE GAP SEALING** reduces heat loss.

⑩ **PERMANENT DOUBLE WIND PROTECTION** with linear guide and track.

⑪ **WHEELS** with hard-coated surface, maintenance-free stainless steel ball bearings, and double permanent wind protection.

⑫ **„SWING“ SWIVEL PUSH HANDLE** included with the ST4 and ST4G.

⑬ **LOCKABLE** and automatically positionable sliding panels. Pre-assembled for precise final installation.

⑭ **ORIGINAL AURA SEALING LIP** with rotary mechanism and DDF fresh air regulator in both end panels, enables scratch-free movement and ventilation.







AURA FLOOR THE WALKABLE

F1

POOL COVER BECOMES A **POOLDECK**


F1


The special pool cover that saves you space in your garden. Walkable and compatible with the same flooring as your patio. This allows you to fully utilize the pool deck, for example, for a seating area or sunbathing area.

WIDTH	2,35 to 4,00 m (pool measure)
LENGTH	6 m to 8,50 m (pool measure)
HEIGHT	0,19 cm
PAVING	porcelain stoneware
SNOWLOAD	240 kg/m²
WINDLOAD	135 km/h
LINEAR GUIDES	single sided track profile












TWO-WHEEL DRIVE WITH REMOTE CONTROL

MODULAR FRAME CONSTRUCTION for maximum stability

1. **RETRACTABLE HOSE SEAL** reduces dirt ingress.
2. **RETRACTABLE FEET** for virtually vibrationfree resting pool cover.
3. **LOW FRAME CONSTRUCTION** with 19 cm height - a standard step height
4. **CUSTOM COVERING AVAILABLE.**
5. **UNIFORM JOINT PATTERN POSSIBLE.**
6. **SINGLE SIDED TRACK PROFILE**

to the videc


FLOATING STAIRS WITH RETRACTABLE HANDRAIL



THE ELEGANT SOLUTION **FOR FOIL AND EXPOSED CONCRETE POOLS**

The new floating stairs with retractable handrail combines modern design with innovative functionality. Its virtually invisible support structure is firmly anchored in the masonry, allowing the staircase to appear to float above the water – ideal for liner and exposed concrete pools.

For use with Aura's ultra-flat pool enclosures, the handrail is particularly ingeniously designed: It can be swung to the side and gently disappears beneath the water surface.



When lifted, it rises again automatically due to the natural buoyancy of the water.

The steps and the optional integrated bench are available in either porcelain stoneware or V4A stainless steel. Upon request, they can be finished with customer-supplied covering material to achieve a perfectly harmonious pool aesthetic.



AURA RECOMMENDS ENJO - FOR PERFECT CLEANLINESS WITHOUT CHEMICALS

To ensure your AURA pool enclosure remains brilliantly clean for years to come, we rely on ENJO's professional cleaning technology.

The high-quality ENJO fibers clean surfaces thoroughly yet gently – without any chemical additives, just water. This protects both the material and the environment and provides a lasting shine.

The combination of premium AURA enclosures and professional ENJO cleaners ensures sustainable maintenance, ease of use, and a thoroughly clean pool experience.



GROSSES NOCH **EINFACHER BEWEGEN**


SWINGE

INTUITIVE ELECTRIC **PUSH SUPPORT**

Our Swing-E works like an e-bike drive. You have to pedal – in our case, push – and the motor assists you with forward movement.







① **UV-RESISTANG TIRE**. Tested for the demanding conditions around the pool.

② **WATERPROOF HANDLE**

③ **BATTERY INTEGRATED** into the pluggable handle tube with 86 Wh/4 Ah..

④ **WHEEL HUB MOTOR**, 2 Geschwindigkeiten, bis zu 16 Nm Drehmoment.

SCOPE OF DELIVERY:
Drive unit, handle with battery and charger.


to the video



FEATURES, MATERIALS & ACCESORIES

POWDER COATING HWF IN 5 STANDARD COLORS

HWF stands for High Weather-Resistant Coating with excellent light and weather resistance. Our surfaces are as durable as automotive paint and only need to be cleaned and sealed once a year to maintain their shine. The following standard colors are included in the base price: RAL 9010 Pure White, 9006 White Aluminum, 9007 Gray Aluminum, 7016 Anthracite Gray, 9005 Jet Black.



ESG REAL GLASS

Thanks to a special heat treatment, ESG (single-pane safety glass) has increased impact and shock resistance compared to normal float glass. The tempered glass is also insensitive to large temperature differences. Model: E2G



VSG REAL GLASS

Laminated safety glass (VSG) is particularly safe – thanks to a tough, tear-resistant film between the glass panes, which ensures the glass's residual load-bearing capacity in the event of breakage. VSG also has a sound-insulating effect. Model: ST4G.



PC - ACRYLIC GLASS

Due to its well-known high elasticity and the resulting flexibility, PC (polycarbonate) offers enormous impact resistance. Glazing made from PC panes is considered virtually unbreakable.
15-year limited warranty. Manufacturer's warranty certificate!



SEALINGLIP WITH ROTARY MECHANISM & FRESH AIR REGULATOR

We have further developed the original Aura sealing lip and integrated a fresh air regulator. The advantage: You can now ensure ventilation even with the sealing lip closed. This allows for better temperature control, reduces the risk of corrosion, and minimizes internal condensation. At the same time, it prevents additional dirt from entering and keeps small pets, animals, and insects out. Opening and closing the ventilation slots is easily done by sliding the handle lengthwise. DDF is also retrofittable!



SWING SWIVEL PUSH HANDLE

With the Swing swivel sliding handle, you can open and close your Aura pool enclosure even more easily. Even with low-profile enclosures, you can maintain an upright posture while sliding it. And when the handle isn't needed, it can be folded to the side, so it doesn't detract from the overall look. Standard on E2G, ST4, ST4G, S1plus, and S1.



SWING-E

With the Swing E, we offer an optional electric push assist for our real glass covers E2G, ST4G, and ST4. The Swing-E is not a remote control, but uses the e-bike principle. You push the lever forward and push gently, receiving assistance from the electric drive. The advantage is the significantly reduced effort required for moving the cover.



AURA CLEANING & CARE SET



Environmental factors such as pollen, house fires, kerosene, and particulate matter have a significant impact on transparency and durability. Surfaces must therefore be cleaned and sealed regularly.

OUR TIP: The special care set consists of the Dry & Clean plastic cleaner, the powder coating care fluid, and an Aura terry cloth. It is best used in spring and before winterizing. The cleaning and care set is available from your Aura System partner.

AURA

MODEL COMPARISON
TECHNOLOGY & FEATURES

		EVOLUTION	SOFTLINE			
		E2G	**S**1PLUS	**S**1	**S**2	**S**3
DIMENSIONS	length max.	11,38	11,72	12,72	12,72	12,72
	width max. (inner measure)	5,100	4,600	5,100	5,100	5,600
	height max.	0,51	0,58	0,71	0,84	1,72
UNDER SCHWIMMABLE		—	—	S	S	
ENTRY / SLIDING DOOR		—	—	O	O	O
SLIDING PARTS VARIANTS	A - 2 panes	S	S	O	—	O
	B - 4 panes	—	S	S	S	
	C - 6 panes	—	O	O	O	O
GLAZING	PC polycarbonate solid sheets	—	S	S	S	
	PC polycarbonat multisheet	—	—	—	—	—
	ESG single-pane safety glass	S	—	—	—	—
	VSG laminated safety glass	—	—	—	—	—
LINEAR GUIDING	guide rail on both sides	—	—	S	S	
	guide rail on one side	—	O	O	—	—
	single-sided track profile	S	S	O	—	—
LOCKABLE WITH ONE-KEY-SYSTEM		S	S	S	S	
TELESCOPIC CONNECTION UNLOCKABLE		S	S	S	S	
SWIVEL PUSH HANDLE „SWING“		S	S	S	—	—
SWING-**E**		O	—	—	—	—
FRONT WALL SEALING WITH ROTARY MECHANISM, FRESH AIR REGULATOR DDF		S	S	S	S	
BLIND FRAME (= floor-level running rail)		—	O	O	O	
POWDER COATING HIGH WEATHER RESISTANT (HWF)		S	S	S	S	
MILIMETER PRECISE MANUFACTURING		S	S	S	S	
TANDEM-FLOOR ROLLER		S	S	O	—	—
STAINLESS STEEL- CONNECTORS V4A		S	S	S	S	
FRAME SUPPORT WITH CABLE TRUSS		S	S	O	—	—
TYPE STATICS - SPECIFICATION MAX. SNOW AND WIND LOADS ACC: ONR191160		S	S	S	S	
LIFIX – FIXED AND SHORT DELIVERY TIMES DELIVERY TIME ACCORDING TO AURA TOURCHECK		●	●	●	●	●

			STRONGLINE				FLOOR
S4 	**S**5 	**S**6 	**ST**4G 	**ST**4 	**ST**2 	**ST**5 	**F**1 
12,72	12,72	12,72	11,23	14,99	14,99	14,99	8,50
5,600	6,100	5,100	4,100	5,600	8,600	5,600	4,00
2,10	2,34	2,37	0,67	0,88	2,90	2,62	0,19
S	S	S	S	S	S	S	—
O	O	O	O	O	O	O	—
O	—	—	S	S	S	S	—
S	S	S	—	O	—	—	—
O	O	O	—	—	—	—	—
S	S	S	—	S	S	S	—
—	S	—	—	—	S	—	—
—	—	—	—	—	—	—	—
—	—	—	S	—	O	O	—
S	S	S	O	O	S	S	—
—	—	—	O	O	O	O	—
—	—	—	S	S	—	—	—
S	S	S	S	S	S	S	—
S	S	S	S	S	S	S	—
—	—	—	S	S	—	—	—
—	—	—	O	O	—	—	—
S	S	S	S	S	S	S	—
O	O	O	—	—	O	O	—
S	S	S	S	S	S	S	S
S	S	S	S	S	S	S	S
—	—	—	S	S	O	O	—
S	S	S	S	S	S	S	S
—	—	—	—	—	O	O	—
S	S	S	S	S	S	S	—
●	●	●	●	●	●	●	●

S STANDARD, O OPTIONAL, — NOT POSSIBLE

COMPANY OUTING

TOGETHER
UPWARDS

Our outing this year first took us to Leeb Balkone, the market leader for balconies in the DACH region (Germany, Austria, Switzerland). Particularly interesting: Like us, they also work according to the principles of the Weichselbaum system. A highly interesting exchange of experiences, for which we are very grateful!

We continued on to Turracher Höhe – up by gondola and then a thrilling ride down to the valley on the Nockyflitzer. A sunny and successful day full of team spirit, impressions, and shared experiences.












SUSTAINABLE
MANAGEMENT



MADE IN AUSTRIA

QUALITY STANDARD ACC ONR 191160

TOURCHECK-APP CHOOSE YOUR DELIVERY DATE

PLANNING SECURITY WITH THE SHORTEST DELIVERY TIMES IN THE INDUSTRY

SCIENTIFIC PARTNER

AURA INNOVATION CENTER FOR RESEARCH & DEVELOPMENT







TEAM ICE

CUSTOM-
MADE


In the ICE team, we shape the future of Aura. Here, we also develop innovative projects based on our customers' wishes. You are welcome to send us your specific requests through our system partner or your trusted pool builder. This collaboration allows us to review customized, one-off solutions. When your pool builder submits a request for a custom-made product to Aura, we take the time to examine everything carefully. As part of a research project, we analyze the feasibility of your requirements. This research provides you with the necessary information about whether your request is achievable and what solutions we can offer. Our goal is to fulfill your customer requirements in the best possible way and offer you the optimal solution.

1-3) Custom-made
with wall connection profile.

4) Cover for a Roman staircase.

5) Level difference due to
one-sided overflow channel.





to the video

A STRONG NETWORK - **TOGETHER TO THE GOAL**



At AURA Swimming Pool Systems GmbH, we are convinced that cooperating with competent sales and installation partners who are experts in their respective fields is significantly more effective than trying to do everything alone.

Pooling expertise: Each partner contributes their individual strengths and specialist knowledge, allowing us to leverage comprehensive know-how.

Decentralization for local expertise: By establishing expertise locally, we sustainably improve the quality of our projects and can specifically address regional needs.

With over 132 active sales partners in the DACH region (Germany, Austria, Switzerland) as well as in Benelux, Slovenia, Croatia, and Northern Italy, AURA is ideally positioned to effectively distribute innovative swimming pool solutions.

These valuable partnerships are crucial for the satisfaction of our end customers – 13,000 customers have already benefited from AURA pool enclosures.

Together with our partners, we are committed to exceeding our customers' expectations. Our collaborations enable us to react quickly to market changes and always offer the best solutions for swimming pool projects..

OUR AURA SYSTEM PARTNERS ARE **YOUR POOL EXPERTS ON SITE**

Many of them also have show parks or showrooms. These partners can be found on our website.

more about our system partners





QUALITY YOU CAN TOUCH

Product sample display in showrooms and at trade fair stands of AURA system partners.

AURA SYSTEMPARTNER

TOUR**CHECK**

The Tourcheck is our online tool for planning security and the shortest delivery times in the industry – always exactly 14 working days! You choose your desired date, and the Tourcheck shows you how long you have to decide.

more about our online Tourcheck







WEBSHOP WITH KONFIGURATOR

The Aura webshop with configurator enables system partners to perform 3D visualization and calculation of pool enclosures directly at the customer's site.

INSTALLATION PARTNER-**PRO**!

Installation Partner Pro – Our Local Heroes in Action. Our installation partners are now true local heroes. They work directly on behalf of our sales partners and handle inquiries from end customers quickly and easily. Thanks to the switch to a decentralized model, significant advantages arise:



SHORTER WAITING TIMES. Regional processing of inquiries. **DIRECT COMMUNICATION.** Sales partners and installation partners communicate directly. **FASTER RESPONSE TIME.** Swift processing through multiple partners. **FLEXIBILITY.** Efficient implementation of customized solutions. **HIGHER QUALITY.** Offers and services from a single source.

At the Aura factory, we provide comprehensive training for our installation partners and guarantee a reliable partner in every region to maintain the highest level of customer satisfaction. This model promotes collaboration and sustainably increases customer satisfaction!

more about out Installation partners



go to the video of outdoor exhibition

VISIT AURA

EXCLUSIVE ON-SITE
CONSULTATION

Gain insights into our working methods, the quality of our manufacturing, and why an Aura pool enclosure impresses with its design and functionality!

With „Visit Aura," we invite customers of our sales partners to a personal factory tour. Here, we will assist you in selecting your ideal model – including size, features, and individual customizations.

DID YOU KNOW THAT WE DO LONG-TERM TESTING OF OUR PRODUCTS ON SITE?

In our outdoor exhibition "AURA proof", our pool enclosures undergo comprehensive testing. Here you have the opportunity to experience the quality and durability of our products firsthand and observe how they perform under real-world conditions.

AURA INFOCENTER
FÜR **BENELUX & NRW**



Specifically for our customers in Benelux and North Rhine-Westphalia, we have set up our own Aura Info Center in Valkenswaard.

Our employee Leon (pictured center) also speaks perfect German and will advise you with 30 years of industry experience. He will also be happy to connect you with an Aura system partner.

AURA AIC, Dragonder 34,
Valkenswaard, Netherlands.

Appointment booking:
+31 683978428

GET IN PERSON
ADVICE

AURA Schwimmbadsysteme GmbH
Feistritz im Rosental, Kärnten, Austria.

book your free of charge appointment
+43 4228 38700
or: office@aura.co.at

WE ARE LOOKING
FORWARD TO
YOUR VISIT

1991-2004

1991 Founding of the company Aura.



1994 Development of the first roofing with a super-flat track (barefoot walkable).



1997Model OMEGA (ST3): the first pool enclosure that allows you to walk upright across the entire side.



2004Development of G-Line, a roofing system that works completely without a frame.



2004 Introduction of the Softline model series with a revolutionary profile system that is becoming the market standard.



2008-2018

2008 Evolution model as the latest development stage: All-glass look thanks to panes guided over theframe.



2010 Project Pro-Fit launch: Planning security for customers and pool builders, and the shortest delivery times in the industry.



2016 Development of the model E2G; milestone within the framework of the R&D project "Walk on Water".



2017 Award at the Sustainability Prize for the topic of „Holistic corporate and organizational transformation".



2019-2021

2019 Market launch of ST4G. Further development of the ST4 with laminated safety glass (VSG).



2020 Redesign and expansion of the test bench with outdoor exhibition.



2020 Presentation of the Aura Configurator. Offers and visualization now available in minutes – directly at the customer's location.



2020 Sealing lip with rotating mechanism and fresh air regulator for pool ventilation even with closed end walls..



2021-2022

2022 Aura Floor, the new pool cover that saves you space in the garden. Walkable and usable across the entire surface.



2022 We are opening our Aura Info Center (AIC) in Valkenwaard, Netherlands. Expertise for our customers and system partners in Benelux and North Rhine-Westphalia.



2022 Redesign of our reception area. Bright, modern, and harmonious. Just like our canopies.



The goal of the AUROS Award is to thank long-standing, successful Aura System partners.



After several years of development, the time has finally come: Swing E - the
sliding aid specifically for pool enclosures with real glass.



2023-2026

2023 The Aura track profile replaces the classic running rail in the S1plus.



2024: The innovative program "Assembly Partner Pro!" with local assembly partners.



2025 The Softline S1 model is available with a track profile.



In the anniversary year 2026, we celebrate
35 years of Aura swimming pool systems.

35 YEARS
1991 - 2026

IMPRINT: The images shown are for illustrative purposes only. Subject to printing errors, technical changes, mistakes, and model changes. Photos: Peter Just, Leon Kersten, Jost & Bayer, Gerhard Holzer, © Aura Swimming Pool Systems GmbH 2026.

Your Aura System partner
will be happy to advise you.

Aura Schwimmbadsysteme GmbH
A-9181 Feistritz im Rosental
Tel: +43 4228 38 700
Fax: +43 4228 38 700-18
E-Mail: office@aura.co.at
www.aura.co.at

enjoy open space AURA

The images shown are for illustrative purposes only.
Subject to printing errors, technical changes, mistakes, and model changes. Photos: Peter Just, Ambiance, Holzerdesign.com, Aura 1991-2026